



## SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia  
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-009029  
Licence No : PC002936

Date : 27/05/2024

ARCELORMITTAL BELVAL & DIFFERDANGE SA  
SITE OF DIFFERDANGE  
L-4503 DIFFERDANGE ESCH/ALZETTE, LUXEMBOURG

Attn : MR DAL MAGRO DAMIEN

Tel No : 352-58202772

Fax No : 352-583581

Dear Sir/Madam,

### Product Certification Licence

Product : HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL  
Standard : MS EN 10025-2 : 2011

---

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MUHAMMAD FAIZAL BIN JAMALUDIN  
Contact No : 603-55445978  
Email : faizalj@sirim.my

Thank you.

*This is a computer generated document. No signature is required.*

# LESEN PENSIJILAN BARANGAN

## *Product Certification Licence*



SIRIM

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada  
SIRIM QAS International Sdn. Bhd. hereby grants to**

**ARCELORMITTAL BELVAL & DIFFERDANGE SA  
SITE OF DIFFERDANGE  
L-4503 DIFFERDANGE ESCH/ALZETTE, LUXEMBOURG**



ACB 001

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan  
a licence to use the Certification Mark on**

**HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL**

**Please refer to detail in the SCHEDULE**



**sebagai mematuhi keperluan  
as complying with**

**MS EN 10025-2 : 2011**



**Nur Fadhilah binti Muhammad**  
Ketua Pegawai Eksekutif  
*Chief Executive Officer*  
SIRIM QAS International Sdn. Bhd.



# SCHEDULE

## ARCELORMITTAL BELVAL & DIFFERDANGE SA



**SIRIM**

Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275  
 Rating : QUALITY DESIGNATION = JR, J0, J2;  
 DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = HD  
 Size : PROFILE (mm X kg/m) =  
 HD 320 X (74.2, 97.6, 127, 158, 198, 245, 300);  
 HD 360 X (134, 147, 162, 179, 196);  
 HD 400 X (187, 216, 237, 262, 287, 314, 347, 382, 421, 463, 509, 551, 592, 634, 677, 744, 818, 900, 990, 1086, 1202, 1299)



ACB 001



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S355  
 Rating : QUALITY DESIGNATION = JR, J0, J2, K2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = HD  
 Size : PROFILE (mm X kg/m) =  
 HD 320 X (74.2, 97.6, 127, 158, 198, 245, 300);  
 HD 360 X (134, 147, 162, 179, 196);  
 HD 400 X (187, 216, 237, 262, 287, 314, 347, 382, 421, 463, 509, 551, 592, 634, 677, 744, 818, 900, 990, 1086, 1202, 1299)

Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275  
 Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = UB  
 Size : PROFILE (mm X mm X kg/m) =  
 UB 686 X 254 X (125, 140, 152, 170, 192);  
 UB 762 X 267 X (134, 147, 173, 197, 220);  
 UB 838 X 292 X (176, 194, 226, 251);  
 UB 914 X 305 X (201, 224, 238, 253, 271, 289, 313, 345, 381, 425, 474, 521, 576);  
 UB 920 X 420 X (344, 368, 390, 420, 449, 491, 537, 588, 656, 725, 787, 970, 1077, 1194, 1269, 1377);  
 UB 1000 X 400 X (296, 321, 371, 412, 443, 483, 539, 554, 591, 642, 748, 883, 976);  
 UB 1016 X 305 X (222, 249, 272, 314, 350, 393, 415, 438, 494)

SIRIM QAS International Sdn. Bhd.  
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
 Seksyen 2, Peti Surat 7035  
 40700 Shah Alam  
 Selangor Darul Ehsan  
 MALAYSIA.

Tel : 603-5544 6000  
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>  
<https://www.malaysiancertified.com.my>

**Tarikh Mula Pensijilan : 28 April 2017**

*Certified Since*

**Sah Sehingga : 28 April 2025**

*Valid Until*

**Tarikh Dikeluarkan : 27 May 2024**

*Issue Date*

**No Siri : 098235**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

# SCHEDULE

## ARCELORMITTAL BELVAL & DIFFERDANGE SA



SIRIM

Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S355  
 Rating : QUALITY DESIGNATION = JR, J0, J2, K2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = UB  
 Size : PROFILE (mm X mm X kg/m) =  
 UB 686 X 254 X (125, 140, 152, 170, 192);  
 UB 762 X 267 X (134, 147, 173, 197, 220);  
 UB 838 X 292 X (176, 194, 226, 251);  
 UB 914 X 305 X (201, 224, 238, 253, 271, 289, 313, 345, 381, 425, 474, 521, 576);  
 UB 920 X 420 X (344, 368, 390, 420, 449, 491, 537, 588, 656, 725, 787, 970, 1077, 1194, 1269, 1377);  
 UB 1000 X 400 X (296, 321, 371, 412, 443, 483, 539, 554, 591, 642, 748, 883, 976);  
 UB 1016 X 305 X (222, 249, 272, 314, 350, 393, 415, 438, 494)



ACB 001



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275  
 Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = HE  
 Size : PROFILE (mm) =  
 HE 300 (AA, A, B, C, M);  
 HE 320 (AA, A, B, C, M);  
 HE 340 (AA, A, B, M);  
 HE 360 (AA, A, B, M);  
 HE 400 (AA, A, B, M);  
 HE 450 (AA, A, B, M);  
 HE 500 (AA, A, B, M);  
 HE 550 (AA, A, B, M);  
 HE 600 (AA, A, B, M, X 337, X 399);  
 HE 650 (AA, A, B, M, X 343, X 407);  
 HE 700 (AA, A, B, M, X 352, X 418);  
 HE 800 (AA, A, B, M, X 373, X 444);  
 HE 900 (AA, A, B, M, X 391, X 466);  
 HE 1000 (AA, X 249, A, B, M, X 393, X 415, X438, X 494)

SIRIM QAS International Sdn. Bhd.  
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
 Seksyen 2, Peti Surat 7035  
 40700 Shah Alam  
 Selangor Darul Ehsan  
 MALAYSIA.

Tel : 603-5544 6000  
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>  
<https://www.malysiancertified.com.my>

**Tarikh Mula Pensijilan : 28 April 2017**

*Certified Since*

**Sah Sehingga : 28 April 2025**

*Valid Until*

**Tarikh Dikeluarkan : 27 May 2024**

*Issue Date*

**No Siri : 098235**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

# SCHEDULE

## ARCELORMITTAL BELVAL & DIFFERDANGE SA



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S355  
 Rating : QUALITY DESIGNATION = JR, J0, J2, K2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = HE  
 Size : PROFILE (mm) =  
 HE 300 (AA, A, B, C, M);  
 HE 320 (AA, A, B, C, M);  
 HE 340 (AA, A, B, M);  
 HE 360 (AA, A, B, M);  
 HE 400 (AA, A, B, M);  
 HE 450 (AA, A, B, M);  
 HE 500 (AA, A, B, M);  
 HE 550 (AA, A, B, M);  
 HE 600 (AA, A, B, M, X 337, X 399);  
 HE 650 (AA, A, B, M, X 343, X 407);  
 HE 700 (AA, A, B, M, X 352, X 418);  
 HE 800 (AA, A, B, M, X 373, X 444);  
 HE 900 (AA, A, B, M, X 391, X 466);  
 HE 1000 (AA, X 249, A, B, M, X 393, X 415, X438, X 494)



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275  
 Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = W  
 Size : PROFILE (mm X mm X kg/m) =  
 W 360 X 410 X (287, 314, 347, 382, 421, 463, 509, 551, 592, 634, 677, 744, 818, 900, 990, 1086, 1202, 1299);  
 W 410 X 140 X (38.8, 46.1);  
 W 410 X 180 X (53, 60, 67, 75, 85);  
 W 410 X 260 X (100, 114, 132, 149);  
 W 460 X 150 X (52, 60, 68);  
 W 460 X 190 X (74, 82, 89, 97, 106);  
 W 460 X 280 X (113, 128, 144, 158, 177, 193, 213, 235, 260);  
 W 530 X 165 X (66, 74, 85);  
 W 530 X 210 X (72, 82, 92, 101, 109, 123, 138);  
 W 610 X 180 X (82, 92);  
 W 610 X 230 X (101, 113, 125, 140, 153);

SIRIM QAS International Sdn. Bhd.  
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
 Seksyen 2, Peti Surat 7035  
 40700 Shah Alam  
 Selangor Darul Ehsan  
 MALAYSIA.

Tel : 603-5544 6000  
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>  
<https://www.malaysiancertified.com.my>

**Tarikh Mula Pensijilan : 28 April 2017**

*Certified Since*

**Sah Sehingga : 28 April 2025**

*Valid Until*

**Tarikh Dikeluarkan : 27 May 2024**

*Issue Date*

**No Siri : 098235**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

# SCHEDULE

## ARCELORMITTAL BELVAL & DIFFERDANGE SA



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275  
 Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = W  
 Size : W 610 X 325 X (155, 174, 195, 217, 241, 262, 285, 307, 341, 372, 415, 455, 498, 551);  
 W 690 X 250 X (125, 140, 152, 170, 192);  
 W 690 X 360 X (217, 240, 265, 289, 323, 350, 384, 319, 457, 500, 548, 802);  
 W 760 X 265 X (134, 147, 161, 173, 185, 196, 220);  
 W 840 X 295 X (176, 193, 210, 226, 251);  
 W 920 X 310 X (201, 223, 238, 253, 271, 289, 313, 345, 381, 425, 474, 521, 576);  
 W 920 X 420 X (344, 368, 390, 420, 449, 491, 537, 588, 656, 725, 787, 970, 1077, 1194, 1269, 1377);  
 W 1000 X 300 X (222, 249, 272, 314, 350, 393, 415, 438, 486, 494, 584);  
 W 1000 X 400 X (296, 321, 371)



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S355  
 Rating : QUALITY DESIGNATION = JR, J0, J2, K2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = W  
 Size : PROFILE (mm X mm X kg/m) =  
 W 360 X 410 X (287, 314, 347, 382, 421, 463, 509, 551, 592, 634, 677, 744, 818, 900, 990, 1086, 1202, 1299);  
 W 410 X 140 X (38.8, 46.1);  
 W 410 X 180 X (53, 60, 67, 75, 85);  
 W 410 X 260 X (100, 114, 132, 149);  
 W 460 X 150 X (52, 60, 68);  
 W 460 X 190 X (74, 82, 89, 97, 106);  
 W 460 X 280 X (113, 128, 144, 158, 177, 193, 213, 235, 260);  
 W 530 X 165 X (66, 74, 85);  
 W 530 X 210 X (72, 82, 92, 101, 109, 123, 138);  
 W 610 X 180 X (82, 92);  
 W 610 X 230 X (101, 113, 125, 140, 153);

SIRIM QAS International Sdn. Bhd.  
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
 Seksyen 2, Peti Surat 7035  
 40700 Shah Alam  
 Selangor Darul Ehsan  
 MALAYSIA.

Tel : 603-5544 6000  
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>  
<https://www.malaysiancertified.com.my>

**Tarikh Mula Pensijilan : 28 April 2017**

*Certified Since*

**Sah Sehingga : 28 April 2025**

*Valid Until*

**Tarikh Dikeluarkan : 27 May 2024**

*Issue Date*

**No Siri : 098235**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

# SCHEDULE

## ARCELORMITTAL BELVAL & DIFFERDANGE SA



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S355  
 Rating : QUALITY DESIGNATION = JR, J0, J2, K2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = W  
 Size : W 610 X 325 X (155, 174, 195, 217, 241, 262, 285, 307, 341, 372, 415, 455, 498, 551);  
 W 690 X 250 X (125, 140, 152, 170, 192);  
 W 690 X 360 X (217, 240, 265, 289, 323, 350, 384, 319, 457, 500, 548, 802);  
 W 760 X 265 X (134, 147, 161, 173, 185, 196, 220);  
 W 840 X 295 X (176, 193, 210, 226, 251);  
 W 920 X 310 X (201, 223, 238, 253, 271, 289, 313, 345, 381, 425, 474, 521, 576);  
 W 920 X 420 X (344, 368, 390, 420, 449, 491, 537, 588, 656, 725, 787, 970, 1077, 1194, 1269, 1377);  
 W 1000 X 300 X (222, 249, 272, 314, 350, 393, 415, 438, 486, 494, 584);  
 W 1000 X 400 X (296, 321, 371)



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275  
 Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = UC  
 Size : PROFILE (mm X mm X kg/m) =  
 UC 254 X 254 X (73, 89, 107, 132, 167);  
 UC 305 X 305 X (97, 118, 137, 158, 198, 240, 283);  
 UC 356 X 368 X (129, 153, 177, 202);  
 UC 356 X 406 X (235, 287, 340, 393, 467, 509, 551, 592, 634, 677, 744, 818, 900, 990, 1086)

Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S355  
 Rating : QUALITY DESIGNATION = JR, J0, J2, K2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = UC  
 Size : PROFILE (mm X mm X kg/m) =  
 UC 254 X 254 X (73, 89, 107, 132, 167);  
 UC 305 X 305 X (97, 118, 137, 158, 198, 240, 283);  
 UC 356 X 368 X (129, 153, 177, 202);  
 UC 356 X 406 X (235, 287, 340, 393, 467, 509, 551, 592, 634, 677, 744, 818, 900, 990, 1086, 1202, 1299)

SIRIM QAS International Sdn. Bhd.  
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
 Seksyen 2, Peti Surat 7035  
 40700 Shah Alam  
 Selangor Darul Ehsan  
 MALAYSIA.

Tel : 603-5544 6000  
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>  
<https://www.malaysiancertified.com.my>

**Tarikh Mula Pensijilan : 28 April 2017**

*Certified Since*

**Sah Sehingga : 28 April 2025**

*Valid Until*

**Tarikh Dikeluarkan : 27 May 2024**

*Issue Date*

**No Siri : 098235**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

# SCHEDULE

## ARCELORMITTAL BELVAL & DIFFERDANGE SA



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S355  
 Rating : QUALITY DESIGNATION = JR, J0, J2, K2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = HL  
 Size : PROFILE (mm X kg/m) =  
 HL 920 X (368, 390, 420, 449, 491, 537, 588, 656, 725, 787, 970, 1077, 1194, 1269, 1377);  
 HL 1000 (AA, A, B)



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275  
 Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = W  
 Size : PROFILE (mm X mm X kg/m) = W 250 X 250 X (73, 80, 89, 101, 115, 131, 149, 167); W 310 X 100 X (21.0, 23.8, 28.3, 32.7); W 310 X 165 X (38.7, 44.5, 52.0); W 310 X 200 X (60, 67, 74); W 310 X 250 X (79, 86); W 310 X 310 X (97, 107, 117, 129, 143, 158, 179, 202, 226, 253, 283, 313, 342); W 360 X 130 X (32.9, 39.0); W 360 X 170 X (44.6, 51, 58); W 360 X 200 X (64, 72, 79); W 360 X 250 X (91, 101, 110, 122); W 360 X 370 X (134, 147, 162, 179, 196); W 360 X 410 X (216, 237, 262)



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S355  
 Rating : QUALITY DESIGNATION = JR, J0, J2, K2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = W  
 Size : PROFILE (mm X mm X kg/m) =  
 W 250 X 250 X (73, 80, 89, 101, 115, 131, 149, 167);  
 W 310 X 100 X (21.0, 23.8, 28.3, 32.7);  
 W 310 X 165 X (38.7, 44.5, 52.0);  
 W 310 X 200 X (60, 67, 74);  
 W 310 X 250 X (79, 86);  
 W 310 X 310 X (97, 107, 117, 129, 143, 158, 179, 202, 226, 253, 283, 313, 342);  
 W 360 X 130 X (32.9, 39.0); W 360 X 170 X (44.6, 51, 58);  
 W 360 X 200 X (64, 72, 79); W 360 X 250 X (91, 101, 110, 122);  
 W 360 X 370 X (134, 147, 162, 179, 196); W 360 X 410 X (216, 237, 262)

SIRIM QAS International Sdn. Bhd.  
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
 Seksyen 2, Peti Surat 7035  
 40700 Shah Alam  
 Selangor Darul Ehsan  
 MALAYSIA.

Tel : 603-5544 6000  
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>  
<https://www.malaysiancertified.com.my>

**Tarikh Mula Pensijilan : 28 April 2017**

*Certified Since*

**Sah Sehingga : 28 April 2025**

*Valid Until*

**Tarikh Dikeluarkan : 27 May 2024**

*Issue Date*

**No Siri : 098235**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.



# SCHEDULE

## ARCELORMITTAL BELVAL & DIFFERDANGE SA



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = 355  
Rating : QUALITY DESIGNATION = JR, J0, J2, K2; DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = UB  
Size : PROFILE (mm X mm X kg/m) =  
UB 610 X 229 X (101, 113, 125, 140, 153);  
UB 610 X 305 X (149, 179, 238);  
UB 1100 X 400 X (343, 390, 433, 499, 548, 607)



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S355  
Rating : QUALITY DESIGNATION = JR, J0, J2, K2;  
DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)



Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = W  
Size : W 1000 X 400 X (412, 443, 483, 539, 554, 591, 642, 748, 883, 976);  
W 1100 X 400 X (343, 390)

Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA  
Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S355  
Rating : QUALITY DESIGNATION = J2, K2;  
DELIVERY CONDITION = +AR (AS ROLLED), +M (THERMOMECHANICAL ROLLED)  
Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = IPE  
Size : PROFILE (mm X kg/m) =  
IPE A 550, IPE 550, IPE O 550, IPE V 550, IPE A 600, IPE 600, IPE O 600, IPE V 600, IPE 750 X (134, 147, 173, 196, 220)

**Factory Name and Location :**  
**ARCELORMITTAL DIFFERDANGE**  
**RUE EMILE MARK**  
**L-4503 ESCH-DIFFERDANGE, LUXEMBOURG**

*End of page*