



SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-009027
Licence No : PC002963

Date : 27/05/2024

ARCELORMITTAL BELVAL & DIFFERDANGE SA
SITE OF DIFFERDANGE
L-4503 DIFFERDANGE ESCH/ALZETTE, LUXEMBOURG

Attn : MR DAL MAGRO DAMIEN

Tel No : 352-58202772

Fax No : 352-583581

Dear Sir/Madam,

Product Certification Licence

Product : THERMOMECHANICAL HOT ROLLED WELDABLE FINE GRAIN STRUCTURAL STEELS
Standard : MS EN 10025-4 : 2011

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MUHAMMAD FAIZAL BIN JAMALUDIN
Contact No : 603-55445978
Email : faizalj@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**ARCELORMITTAL BELVAL & DIFFERDANGE SA
SITE OF DIFFERDANGE
L-4503 DIFFERDANGE ESCH/ALZETTE, LUXEMBOURG**



ACB 001

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on**

THERMOMECHANICAL HOT ROLLED WELDABLE FINE GRAIN STRUCTURAL STEELS

Please refer to detail in the SCHEDULE



**sebagai mematuhi keperluan
as complying with**

MS EN 10025-4 : 2011



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

ARCELORMITTAL BELVAL & DIFFERDANGE SA



SIRIM

Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S460
 Rating : DELIVERY CONDITION = M (THERMOMECHANICAL ROLLING)
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = IPE
 Size : PROFILE (mm X kg/m) = IPE 750 X 196



ACB 001

Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275, S355, S460
 Rating : DELIVERY CONDITION = M (THERMOMECHANICAL ROLLING)
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = HD
 Size : PROFILE (mm X kg/m) =
 HD 320 X (74.2, 97.6, 127, 158, 198, 245, 300);
 HD 360 X (134, 147, 162, 179, 196);
 HD 400 X (187, 216, 237, 262, 287, 314, 347, 382, 421, 463, 509, 551, 592, 634,
 677, 744, 818, 900, 990, 1086, 1202, 1299)



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275, S355, S460
 Rating : DELIVERY CONDITION = M (THERMOMECHANICAL ROLLING)
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = UB
 Size : PROFILE (mm X mm X kg/m) =
 UB 686 X 254 X (125, 140, 152, 170, 192);
 UB 762 X 267 X (134, 147, 173, 197, 220);
 UB 838 X 292 X (176, 194, 226, 251);
 UB 914 X 305 X (201, 224, 238, 253, 271, 289, 313, 345, 381, 425, 474, 521, 576);
 UB 920 X 420 X (344, 368, 390, 420, 449, 491, 537, 588, 656, 725, 787, 970, 1077,
 1194, 1269, 1377);
 UB 1000 X 400 X (296, 321, 371, 412, 443, 483, 539, 554, 591, 642, 748, 883, 976);
 UB 1016 X 305 X (222, 249, 272, 314, 350, 393, 415, 438, 494, 584);
 UB 1100 X 400 X (343, 390)

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 12 May 2017

Certified Since

Sah Sehingga : 12 May 2025

Valid Until

Tarikh Dikeluarkan : 27 May 2024

Issue Date

No Siri : 098236

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

ARCELORMITTAL BELVAL & DIFFERDANGE SA



SIRIM



ACB 001



Trade Mark	: COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA
Model	: STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275, S355, S460
Rating	: DELIVERY CONDITION = M (THERMOMECHANICAL ROLLING)
Type	: H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = HE
Size	: PROFILE (mm) = HE 300 (AA, A, B, C, M); HE 320 (AA, A, B, C, M); HE 340 (AA, A, B, M); HE 360 (AA, A, B, M); HE 400 (AA, A, B, M); HE 450 (AA, A, B, M); HE 500 (AA, A, B, M); HE 550 (AA, A, B, M); HE 600 (AA, A, B, M, X 337, X 399); HE 650 (AA, A, B, M, X 343, X 407); HE 700 (AA, A, B, M, X 352, X 418); HE 800 (AA, A, B, M, X 373, X 444); HE 900 (AA, A, B, M, X 391, X 466); HE 1000 (AA, X 249, A, B, M, X 393, X 415, X438, X494)

Trade Mark	: COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA
Model	: STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275, S355, S460
Rating	: DELIVERY CONDITION = M (THERMOMECHANICAL ROLLING)
Type	: H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = W
Size	: PROFILE (mm X mm X kg/m) = W 360 X 410 X (287, 314, 347, 382, 421, 463, 509, 551, 592, 634, 677, 744, 818, 900, 990, 1086, 1202, 1299); W 410 X 140 X (38.8, 46.1); W 410 X 180 X (53, 60, 67, 75, 85); W 410 X 260 X (100, 114, 132, 149); W 460 X 150 X (52, 60, 68); W 460 X 190 X (74, 82, 89, 97, 106); W 460 X 280 X (113, 128, 144, 158, 177, 193, 213, 235, 260); W 530 X 165 X (66, 74, 85); W 530 X 210 X (72, 82, 92, 101, 109, 123, 138); W 610 X 180 X (82, 92); W 610 X 230 X (101, 113, 125, 140, 153);

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 12 May 2017

Certified Since

Sah Sehingga : 12 May 2025

Valid Until

Tarikh Dikeluarkan : 27 May 2024

Issue Date

No Siri : 098236

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

ARCELORMITTAL BELVAL & DIFFERDANGE SA



SIRIM



ACB 001



Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275, S355, S460
 Rating : DELIVERY CONDITION = M (THERMOMECHANICAL ROLLING)
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = W
 Size : W 610 X 325 X (155, 174, 195, 217, 241, 262, 285, 307, 341, 372, 415, 455, 498, 551);
 W 690 X 250 X (125, 140, 152, 170, 192);
 W 690 X 360 X (217, 240, 265, 289, 323, 350, 384, 319, 457, 500, 548, 802);
 W 760 X 265 X (134, 147, 161, 173, 185, 196, 220);
 W 840 X 295 X (176, 193, 210, 226, 251);
 W 920 X 310 X (201, 223, 238, 253, 271, 289, 313, 345, 381, 425, 474, 521, 576);
 W 920 X 420 X (344, 368, 390, 420, 449, 491, 537, 588, 656, 725, 787, 970, 1077, 1194, 1269, 1377);
 W 1000 X 300 X (222, 249, 272, 314, 350, 393, 415, 438, 486, 494, 584);

Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275, S355, S460
 Rating : DELIVERY CONDITION = M (THERMOMECHANICAL ROLLING)
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = W
 Size : W 1000 X 400 X (296, 321, 371, 412, 443, 483, 539, 554, 591, 642, 748, 883, 976);
 W 1100 X 400 X (343, 390)

Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275, S355, S460
 Rating : DELIVERY CONDITION = M (THERMOMECHANICAL ROLLING)
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = UC
 Size : PROFILE (mm X mm X kg/m) =
 UC 254 X 254 X (73, 89, 107, 132, 167);
 UC 305 X 305 X (97, 118, 137, 158, 198, 240, 283);
 UC 356 X 368 X (129, 153, 177, 202);
 UC 356 X 406 X (235, 287, 340, 393, 467, 509, 551, 592, 634, 677, 744, 818, 900, 990, 1086, 1202, 1299)

Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA
 Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S355, S460
 Rating : DELIVERY CONDITION = M (THERMOMECHANICAL ROLLING)
 Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = HL
 Size : PROFILE (mm X kg/m) =
 HL 920 X (368, 390, 420, 449, 491, 537, 588, 656, 725, 787, 970, 1077, 1194, 1269, 1377);
 HL 1000 (AA, A, B, M, X 443, X 483, X 539, X 554, X 591, X 642, X 748, X 883, 976);
 HL 1100 (A, B)

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 12 May 2017

Certified Since

Sah Sehingga : 12 May 2025

Valid Until

Tarikh Dikeluarkan : 27 May 2024

Issue Date

No Siri : 098236

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

ARCELORMITTAL BELVAL & DIFFERDANGE SA



SIRIM

Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA
Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S275, S355, S460
Rating : DELIVERY CONDITION = M (THERMOMECHANICAL ROLLING)
Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = W
Size : PROFILE (mm X mm X kg/m) = W 250 X 250 X (73, 80, 89, 101, 115, 131, 149, 167); W 310 X 100 X (21.0, 23.8, 28.3, 32.7); W 310 X 165 X (38.7, 44.5, 52.0); W 310 X 200 X (60, 67, 74); W 310 X 250 X (79, 86); W 310 X 310 X (97, 107, 117, 129, 143, 158, 179, 202, 226, 253, 283, 313, 342); W 360 X 130 X (32.9, 39.0); W 360 X 170 X (44.6, 51, 58); W 360 X 200 X (64, 72, 79); W 360 X 250 X (91, 101, 110, 122); W 360 X 370 X (134, 147, 162, 179, 196); W 360 X 410 X (216, 237, 262)



ACB 001

Trade Mark : COMPANY ID = ARCELORMITTAL BELVAL & DIFFERDANGE SA
Model : STEEL NAME = STRUCTURAL STEEL (S); STEEL GRADE = S355
Rating : DELIVERY CONDITION = M (THERMOMECHANICAL ROLLING)
Type : H-BEAM, I-BEAM; MANUFACTURER'S PRODUCT NAME = IPE
Size : PROFILE (mm X kg/m) = IPE A 550, IPE 550, IPE O 550, IPE V 550, IPE A 600, IPE 600, IPE O 600, IPE V 600, IPE 750 X (134, 147, 173, 196, 220)



Factory Name and Location :
ARCELORMITTAL DIFFERDANGE
RUE EMILE MARK
L-4503 ESCH-DIFFERDANGE, LUXEMBOURG

End of page

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 12 May 2017

Certified Since

Sah Sehingga : 12 May 2025

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 27 May 2024

Issue Date

No Siri : 098236

Serial No